## EAST SEARCH HISTORY

| Ref<br># | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|---|---------------------|---------|------------------|
| L1       | 391  | ((two or "2") adj hybrid) same<br>receptor same inhibit\$3                    | US-PGPUB;<br>USPAT  | OR                  | ON      | 2005/07/20 14:04 |
| L2       | 505  | receptor same bait  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/07/20 14:04 |
| L3       | 1454 | (two adj hybrid) same receptor  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/07/20 14:04 |
| L4       | 0    | (bait adj domain) near15 receptor   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/07/20 14:04 |
| L5       | 2    | (chimeric adj receptor) same prey   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/07/20 14:04 |
| L6       | 523  | (chimeric adj receptor) same<br>(intracellular) same domain                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/07/20 14:04 |
| L7       | 176  | (chimeric adj receptor) near10<br>(cytoplasmic tail)                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/07/20 14:04 |
| L8       | 1    | (chimeric adj receptor) near10<br>(cytoplasmic tail) near10 inhibit\$4        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/07/20 14:04 |
| L9       | 1    | (chimeric adj receptor) near10<br>(cytoplasmic adj tail) near10<br>inhibit\$4 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/07/20 14:04 |

|     |     | T   |   | 1  |      | T                |
|-----|-----|---|---|----|------|------------------|
| L10 | 1   | (chimeric near5 receptor) near10 (cytoplasmic adj tail) near10 inhibit\$4 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L11 | 374 | (SHP-2 or SHP2)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L12 | 203 | (SHP-2 or SHP2) same receptor   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L13 | 0   | (heterologous adj cytoplasmic adj<br>tail)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L14 | 0   | (chimeric adj cytoplasmic adj tail)                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L15 | 84  | (inhibitory adj motif) same receptor                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L16 | 122 | (inhibitory near20 motif) same receptor and (chimer\$3 or fus\$3)         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L17 | 1   | "20020019006"   | US-PGPUB;<br>USPAT  | OR | ON · | 2005/07/20 14:04 |
| L18 | 3   | gp130 near5 (chimer\$3 or fus\$3)<br>near5 cytoplasmic                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |

| L19 |     | gp130 near5 bait  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON | 2005/07/20 14:04 |
|-----|-----|---|---|-----|----|------------------|
| L20 | 1   | (chimeric adj receptor) near10<br>(cytoplasmic tail) near10 inhibit\$3            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON | 2005/07/20 14:04 |
| L21 | 1   | valentini and ste2  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | ON | 2005/07/20 14:04 |
| L22 | 4   | eyckerman and tavernier   | US-PGPUB;<br>USPAT  | .OR | ON | 2005/07/20 14:04 |
| L23 | 4   | eyckerman and tavernier   | EPO; JPO;<br>DERWENT;<br>IBM_TDB                                  | OR  | ON | 2005/07/20 14:04 |
| L24 | . 5 | "5525490".pn. or "5637463".pn. or "5733726".pn. or "6303319".pn. or "6479280".pn. | US-PGPUB;<br>USPAT  | OR  | ON | 2005/07/20 14:04 |
| L25 | 2   | yeast.ti. and two.ti. and hybrid.ti.  | USPAT   | OR  | ON | 2005/07/20 14:04 |
| L26 | 8   | ((two or "2") adj hybrid) near10<br>receptor near10 (inhibit\$3 or<br>reverse)    | US-PGPUB;<br>USPAT  | OR  | ON | 2005/07/20 14:04 |
| L27 | 57  | ((two or "2") adj hybrid) near15<br>receptor near15 (inhibit\$3 or<br>reverse)    | US-PGPUB;<br>USPAT  | OR  | ON | 2005/07/20 14:04 |
| L28 | 5   | ((two or "2") adj hybrid) same<br>SOCS\$3   | US-PGPUB;<br>USPAT  | OR  | ON | 2005/07/20 14:04 |
| L29 | 6   | EpoR same gp130 same (chimer\$3 or fus\$3)  | US-PGPUB;<br>USPAT  | OR  | ON | 2005/07/20 14:04 |
| L30 | 3   | "9940946"   | USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                        | OR  | ON | 2005/07/20 14:04 |
| L31 | 13  | SOCS-3  | USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                        | OR  | ON | 2005/07/20 14:04 |
| L32 | 22  | SOCS-3 or SOCS3   | USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                        | OR  | ON | 2005/07/20 14:04 |

|     |      | <del>,</del>                             | · · · · · · · · · · · · · · · · · · ·                             |    |    |                  |
|-----|------|--|---|----|----|------------------|
| L33 | 96   | SOCS-3 or SOCS3                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L34 | . 61 | gp130 near5 (chimer\$3 or fus\$3)        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L35 | 5    | gp130 near10 bait                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L36 | 5    | gp130 near50 bait                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L37 | 48   | gp130 near10 (cytoplasmic adj<br>domain) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L38 | 86   | gp130 near10 (cytoplasmic)               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L39 | 44   | (cytoplasmic) and (SOCS-3 or SOC3)       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L40 | 10   | (cytoplasmic) same (SOCS-3 or SOC3)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |

| L41 | 5    | epoR and (socs3 or socs-3)            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
|-----|------|---------------------------------------|---|----|----|------------------|
| L42 | 10   | (gp130 adj fusion)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L43 | 45   | (gp130 near5 fusion)                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L44 | 5    | (receptor near15 bait) same inhibited | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L45 | 2    | "0190188".pn.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L46 | . 27 | "0190188"                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L47 | 11   | ostade.in.                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L48 | 4    | "200006722"                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |

| L49 | 30 | (receptor near15 bait) same inhibit\$3           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON              | 2005/07/20 14:04 |
|-----|----|--|---|----|-----------------|------------------|
| L50 | 21 | (receptor-binding adj proteins) same inhibit\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON <sub>.</sub> | 2005/07/20 14:04 |
| L51 | 7  | (two adj hybrid) same (chimeric adj<br>receptor) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON              | 2005/07/20 14:04 |
| L52 | 9  | (death adj receptor) same screening              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON              | 2005/07/20 14:04 |
| L53 | 94 | (death adj domain) same screening                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON              | 2005/07/20 14:04 |
| L54 | 33 | (death adj domain) same bait                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON              | 2005/07/20 14:04 |
| L55 | 5  | nicholson.in. and baca.in.                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON              | 2005/07/20 14:04 |
| L56 | 5  | receptor near5 comprising near5 bait             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON              | 2005/07/20 14:04 |

| F   |     |  | T   |    |      |                  |
|-----|-----|--|---|----|------|------------------|
| L57 | 6   | bait near5 fused near5 receptor                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L58 | 24  | bait near10 fused near10 receptor                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON . | 2005/07/20 14:04 |
| L59 | 85  | (chimeric adj receptors) and gp130                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L60 | . 2 | (chimeric adj receptor) same bait                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L61 | 42  | (chimeric adj receptor) near4<br>(intracellular adj domain)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L62 | 104 | (chimeric adj receptor) near10<br>(intracellular adj domain) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON . | 2005/07/20 14:04 |
| L63 | 50  | (chimeric adj receptor) near10<br>(C-terminal tail)          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |
| L64 | 13  | (chimeric near5 receptor) near10<br>(cytoplasmic adj tail)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/07/20 14:04 |

| L65   | 14  | (chimeric near5 receptor) near20 (cytoplasmic adj tail)              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
|-------|-----|--|---|----|----|------------------|
| L66   | 12  | (SHP-2 or SHP2) same receptor same (chimer\$3 or fus\$3)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L67   | 48  | (cytoplasmic near1 (domain or tail)) near1 (chimer\$3)               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L68   | 33  | (cytoplasmic near1 (domain or tail)) near1 (chimer\$3) same receptor | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L69   | 3   | (inhibitory adj motif) same receptor<br>same (chimer\$3 or fus\$3)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L70 · | 5   | (inhibitory near10 motif) same receptor same (chimer\$3 or fus\$3)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L71   | 5   | (inhibitory near20 motif) same receptor same (chimer\$3 or fus\$3)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L72   | 103 | (inhibitory near5 motif) same receptor and (chimer\$3 or fus\$3)     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |

|     |    |   |   |      | 1  |                  |
|-----|----|---|---|------|----|------------------|
| L73 | 2  | (SOCS-1 or SOCS1) same receptor same (chimer\$4 or fus\$4)            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2005/07/20 14:04 |
| L74 | 41 | (SOCS-1 or SOCS1) same receptor                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2005/07/20 14:04 |
| L75 | 3  | (receptor) near5 (fused near10 end near10 cytoplasmic near10 domain)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L76 | 3  | (receptor) near20 (fused near10 end near10 cytoplasmic near10 domain) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L77 | 4  | (receptor) near20 (fused near10 cytoplasmic near10 terminus)          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L78 | 38 | (bait same prey same<br>transmembrane)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L79 | 92 | prey near15 receptor  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L80 | 55 | (prey near15 receptor) and bait                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |

| L81 | 92  | (prey near15 receptor)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
|-----|-----|---|---|----|----|------------------|
| L82 | 9   | (bait near15 receptor) same transmembrane                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L83 | 7   | (bait near15 (membrane adj<br>protein))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L84 | 37  | bait same prey same inhibit\$3 same transcription                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L85 | 4   | medici and ste2   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L86 | 3   | phosphorylation same<br>ubiquitinilation same glycosylation<br>same proteolytic | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L87 | 193 | receptor near15 bait  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
| L88 | 164 | (two adj hybrid) same (fus\$3 near5 receptor)                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |

| L89 | 175  | (chimeric adj receptor) same<br>heterologous                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
|-----|------|---|---|------|----|------------------|
| L90 | 173  | (cytoplasmic near2 (domain or tail)) near2 (chimer\$3)                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L91 | 130  | (inhibitory adj motif)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L92 | 213  | (SOCS-1 or SOCS) same receptor same (chimer\$4 or fus\$4)               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L93 | 146  | (bait same prey same receptor)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2005/07/20 14:04 |
| L94 | 193  | (bait near15 receptor)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L95 | 397  | ((two or "2") adj hybrid) same<br>receptor same (inhibit\$3 or reverse) | US-PGPUB;<br>USPAT  | OR   | ON | 2005/07/20 14:04 |
| L96 | 1739 | (chimeric adj receptors)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |
| L97 | 257  | (heterologous adj receptor)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/07/20 14:04 |

| L98 | 252 | (chimeric adj receptor) same<br>(intracellular adj domain) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |
|-----|-----|--|---|----|----|------------------|
| L99 | 277 | prey same receptor   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 14:04 |